

CD 71J

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size 6Jx13H2	Mazda 626 Mazda 929 Mazda RX-7	
Peso Poids Gewicht Weight kg 4,550		
Interasse Entraxe Bolzendurch- messer Boltcircle 110 mm		
Campanatura Carrossage Einpresstiefe Offset 15 mm		



CD 72J

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size 6Jx13H2	Datsun Sunny Datsun Violet Mitsubishi Colt Mitsubishi Celeste Mitsubishi Gallant Mitsubishi Sapporo Toyota Corolla Toyota Carina Toyota Celica Toyota Corona	
Peso Poids Gewicht Weight kg 4,550		
Interasse Entraxe Bolzendurch- messer Boltcircle 114,3 mm		
Campanatura Carrossage Einpresstiefe Offset 15 mm		



CD 73J

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size 6JKx14H2	Toyota Cressida Toyota 1900 GSS Toyota Corona 2000 GT Datsun Skyline Datsun Laurel Datsun Fairlady 2000 Datsun Fairlady 240 Z Datsun Bluebird	
Peso Poids Gewicht Weight kg 5,600		
Interasse Entraxe Bolzendurch- messer Boltcircle 114,3 mm		
Campanatura Carrossage Einpresstiefe Offset 22 mm		



CD 74J

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size 6JKx14H2	Datsun Cedric Toyota Crown	
Peso Poids Gewicht Weight kg 5,600		
Interasse Entraxe Bolzendurch- messer Boltcircle 114,3 mm		
Campanatura Carrossage Einpresstiefe Offset 22 mm		



CD 76J

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size 5Jx13H2	Toyota Celica Toyota Corolla Datsun Sunny Mitsubishi Gallant Mitsubishi Lancer	
Peso Poids Gewicht Weight kg 4,250		
Interasse Entraxe Bolzendurch- messer Boltcircle 114,3 mm		
Campanatura Carrossage Einpresstiefe Offset 27 mm		



CD 78J

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size 6JKx14H2	Datsun Skyline Datsun 240/260/280 Z Toyota Corona 2000 GT Toyota Cressida	
Peso Poids Gewicht Weight kg 5,600		
Interasse Entraxe Bolzendurch- messer Boltcircle 114,3 mm		
Campanatura Carrossage Einpresstiefe Offset 13 mm		



CD 81

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size 6½Jx14H2	BMW 2500 - BMW 2800 - BMW 3.0 S BMW 3.0 CS BMW 3.0 Si BMW 3.0 CSi BMW 3.3 L - BMW 518 BMW 520 - BMW 520 i BMW 525 - BMW 528 BMW 530i - BMW 528 i BMW 630 CS BMW 633 CSi BMW 728 - BMW 730 BMW 733 i	CD 502
Peso Poids Gewicht Weight kg 5,750		
Interasse Entraxe Bolzendurch- messer Boltcircle 120 mm		
Campanatura Carrossage Einpresstiefe Offset 16 mm		



CD 82

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size 6½Jx14H2	Mercedes(tutti i modelli)	CD 491
Peso Poids Gewicht Weight Kg. 5,650		
Interasse Entraxe Bolzendurch- messer Boltcircle 112 mm		
Campanatura Carrossage Einpresstiefe Offset 30 mm		



CD 86J

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size 6½Jx14H2	Toyota Cressida Datsun 240/260/280 Z	
Peso Poids Gewicht Weight kg 5,800		
Interasse Entraxe Bolzendurch- messer Boltcircle 114,3 mm		
Campanatura Carrossage Einpresstiefe Offset 0 mm		



CD 87

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size 6 1/2 JKx13H2	Ford Mustang II	
Peso Poids Gewicht Weight kg 4,750		
Interasse Entraxe Bolzendurchmesser Boltcircle 108 mm		
Campanatura Carrossage Einpresstiefe Offset 0 mm		



CD 89J

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size 5Jx13H2	Honda Civic Honda Accord	
Peso Poids Gewicht Weight kg 4,150		
Interasse Entraxe Bolzendurchmesser Boltcircle 120 mm		
Campanatura Carrossage Einpresstiefe Offset 27 mm		



CD 90J

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size 5 1/2 Jx14H2	Toyota Cressida Datsun Skyline Datsun Laurel Datsun Bluebird	
Peso Poids Gewicht Weight kg 5,700		
Interasse Entraxe Bolzendurchmesser Boltcircle 114,3 mm		
Campanatura Carrossage Einpresstiefe Offset 18 mm		



CD 101J

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size 6Jx14H2	Toyota Cressida Toyota 1900 GSS Toyota Corona 2000 GT Datsun Skyline Datsun Laurel Datsun Fairlady 2000 Datsun Fairlady 240 Z Datsun Bluebird	
Peso Poids Gewicht Weight Kg. 5,800		
Interasse Entraxe Bolzendurchmesser Boltcircle 114,3 mm		
Campanatura Carrossage Einpresstiefe Offset 22 mm		



CD 103

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size 6Jx14H2	Alfa Romeo Alfetta GT e GTV	
Peso Poids Gewicht Weight Kg. 5,800		
Interasse Entraxe Bolzendurchmesser Boltcircle 98 mm		
Campanatura Carrossage Einpresstiefe Offset 22 mm		



CD 104

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size 6Jx14H2	BMW 2500 - 2800 BMW 3.0 S - 3.0 CS BMW 3.0 Si - 3.0 CSi BMW 3.3 L - BMW 518 - 520 - BMW 520 i - 525 - BMW 528 - 528 i - 530 i - BMW 630 CS - 633 CSi BMW 728 Opel Record Sprint 1900 Opel Commodore	CD 502 per modelli BMW
Peso Poids Gewicht Weight Kg. 5,800		
Interasse Entraxe Bolzendurchmesser Boltcircle 120 mm		
Campanatura Carrossage Einpresstiefe Offset 22 mm		



CD 105

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size 6Jx14H2	Mercedes(tutti i modelli)	CD 491
Peso Poids Gewicht Weight Kg. 5,800		
Interasse Entraxe Bolzendurchmesser Boltcircle 112 mm		
Campanatura Carrossage Einpresstiefe Offset 30 mm		



CD 106J

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size 6Jx14H2	Datsun Cedric Toyota Crown	
Peso Poids Gewicht Weight kg 5,800		
Interasse Entraxe Bolzendurchmesser Boltcircle 114,3 mm		
Campanatura Carrossage Einpresstiefe Offset 13 mm		



CD 107J

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size 6Jx14H2	Datsun Skyline Datsun 240/260/280 Z Toyota Corona 2000 GT Toyota Cressida	
Peso Poids Gewicht Weight Kg. 5,800		
Interasse Entraxe Bolzendurchmesser Boltcircle 114,3 mm		
Campanatura Carrossage Einpresstiefe Offset 10 mm		



CD 120

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size 6Jx13H2	Fiat 124 coupé e spyder Fiat 131 (tutti i modelli)	CD 481
Peso Poids Gewicht Weight Kg. 4,500		
Interasse Entraxe Bolzendurch- messer Boltcircle 98 mm		
Campanatura Carrossage Einpresstiefe Offset 14 mm		



CD 121

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size 6Jx13H2	Opel Manta - Ascona Opel GT 1900 BMW 1600 - BMW 2002 BMW 2002 Ti BMW 316 - BMW 318 BMW 320 - BMW 320 i BMW 323 i	CD 502 per mod. B.M.W.
Peso Poids Gewicht Weight Kg. 4,500		
Interasse Entraxe Bolzendurch- messer Boltcircle 100 mm		
Campanatura Carrossage Einpresstiefe Offset 14 mm		



CD 122

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size 6Jx13H2	Ford Capri Ford Escort GL Ford Taurus	
Peso Poids Gewicht Weight Kg. 4,500		
Interasse Entraxe Bolzendurch- messer Boltcircle 108 mm		
Campanatura Carrossage Einpresstiefe Offset 14 mm		



CD 123J

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size 6Jx13H2	Mazda 626 Mazda 929 Mazda RX-7	
Peso Poids Gewicht Weight Kg. 4,500		
Interasse Entraxe Bolzendurchmesser Boltcircle 110 mm		
Campanatura Carrossage Einpresstiefe Offset 14 mm		



CD 124J

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size 6Jx13H2	Datsun Sunny Datsun Violet Mitsubishi Colt Mitsubishi Celeste Mitsubishi Gallant Mitsubishi Sapporo Toyota Corolla Toyota Carina Toyota Celica Toyota Corona	
Peso Poids Gewicht Weight Kg. 4,500		
Interasse Entraxe Bolzendurchmesser Boltcircle 114,3 mm		
Campanatura Carrossage Einpresstiefe Offset 14 mm		



CD 150J

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size 5 1/2Jx13H2	Datsun Sunny Datsun Violet Mitsubishi Celeste Mitsubishi Colt Mitsubishi Lancer Mitsubishi Gallant Mitsubishi Sapporo Toyota Corolla Toyota Carina Toyota Celica Toyota Corona	
Peso Poids Gewicht Weight Kg. 4,650		
Interasse Entraxe Bolzendurchmesser Boltcircle 114,3 mm		
Campanatura Carrossage Einpresstiefe Offset 18 mm		



CD 151J

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size 5 1/2 Jx13H2	Mazda RX - 7	
Peso Poids Gewicht Weight Kg. 4,650		
Interasse Entraxe Bolzendurchmesser Boltcircle 110 mm		
Campanatura Carrossage Einpresstiefe Offset 18 mm		



CD 152J

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size 6Jx14H2	Toyota Cressida Toyota 1900 GSS Toyota Corona 2000 GT Datsun Skyline Datsun Laurel Datsun Fairlady 2000 Datsun Fairlady 240 Z Datsun Bluebird	
Peso Poids Gewicht Weight Kg. 6,000		
Interasse Entraxe Bolzendurchmesser Boltcircle 114,3 mm		
Campanatura Carrossage Einpresstiefe Offset 22 mm		



CD 154 J

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size 5 1/2 Jx13 H2	Honda Prelude Isuzu Gemini Opel Kadett - Opel GT 1900 - Opel Manta - Ascona - BMW 1600 BMW 2002 - BMW 2002 Ti BMW 316 - BMW 318 BMW 320	CD 502 per modelli BMW
Peso Poids Gewicht Weight Kg 4,650		
Interasse Entraxe Bolzendurchmesser Boltcircle 100 mm		
Campanatura Carrossage Einpresstiefe Offset 18 mm		

