

**Ruote in lega leggera  
di magnesio e  
alluminio**



**Cromodora**

Divisione della Gilardini Spa

**Gilardini**  
Deutschland GmbH  
Viktorienstraße 14  
**5400 Koblenz**  
Tel. (02 61) 3 30 40  
Telex 862 559



**Ruote in magnesio**  
**Roues en magnesium**  
**Magnesium-felgen**  
**Magnesium wheels**

## CD 30

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size <b>5 1/2 Jx13</b>	Fiat 124 berlina - coupé spyder - Fiat 125 - Fiat 132 VT - Fiat 131 Berl. - Fam. - Racing -	CD 481
Peso Poids Gewicht Weight <b>Kg. 4,100</b>		
Interasse Entraxe Bolzendurch- messer Boltcircle <b>98 mm</b>		
Campanatura Carrossage Einpresstiefe Offset <b>7 mm</b>		



## CD 31

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size <b>5 1/2 Jx13H2</b>	Fiat 124 coupé e spyder Fiat 124 berlina - Fiat 125 - Fiat 132 VT - Fiat 128 coupé e Rally - X1/9 - Fiat 131 berlina familiare Racing - Alfa Sud Simca Horizon	CD 481 per modelli 124 - 125 132 - 131 CD 482 per modelli 128 X1/9 CD 496 per modelli Alfa Sud CD 502 per Simca Horizon
Peso Poids Gewicht Weight <b>kg 4,350</b>		
Interasse Entraxe Bolzendurch- messer Boltcircle <b>98 mm</b>		
Campanatura Carrossage Einpresstiefe Offset <b>18 mm</b>		



## CD 32

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size <b>5 1/2 Jx13H2</b>	Opel Kadett - Opel GT 1900 - Opel Manta - Ascona - BMW 1600 - BMW 2002 - BMW 2002Ti BMW 316 - BMW 318 - BMW 320	CD 502 per modelli BMW
Peso Poids Gewicht Weight <b>kg 4,350</b>		
Interasse Entraxe Bolzendurch- messer Boltcircle <b>100 mm</b>		
Campanatura Carrossage Einpresstiefe Offset <b>18 mm</b>		





## CD 35

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size <b>6JKx14H2</b>	Alfa Romeo Giulia (tutti i modelli Berlina e GT) - Alfa Romeo 1750 - Alfa Romeo 1750 GTV - Alfa Romeo 2000 - Alfa Romeo 2000 GTV	
Peso Poids Gewicht Weight <b>Kg. 5,300</b>		
Interasse Entraxe Bolzendurchmesser Boltcircle <b>108 mm</b>		
Campanatura Carrossage Einpresstiefe Offset <b>22 mm</b>		



## CD 42

Caratteristiche tecniche	Applicazioni	Dadi Obbligat.
Misure Dimensions Abmessung Size <b>5Jx10</b>	Mini Minor - Mini Cooper	CD 485
Peso Poids Gewicht Weight <b>kg 2,400</b>		
Interasse Entraxe Bolzendurchmesser Boltcircle <b>101,6 mm</b>		
Campanatura Carrossage Einpresstiefe Offset <b>18 mm</b>		



## CD 47

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size <b>5½Jx14</b>	Alfa Romeo Alfetta Alfa Romeo Alfetta GT e GTV	
Peso Poids Gewicht Weight <b>kg 5,250</b>		
Interasse Entraxe Bolzendurchmesser Boltcircle <b>98 mm</b>		
Campanatura Carrossage Einpresstiefe Offset <b>34 mm</b>		



## CD 50

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size <b>6JKx14H2</b>	Alfa Romeo Alfetta GT e GTV	
Peso Poids Gewicht Weight <b>kg 5,500</b>		
Interasse Entraxe Bolzendurchmesser Boltcircle <b>98 mm</b>		
Campanatura Carrossage Einpresstiefe Offset <b>22 mm</b>		



## CD 53

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size <b>5½Jx14H2</b>	Fiat 132 Fiat 131 (tutti i modelli) Fiat 124 Spyder	CD 481
Peso Poids Gewicht Weight <b>kg 5,500</b>		
Interasse Entraxe Bolzendurchmesser Boltcircle <b>98 mm</b>		
Campanatura Carrossage Einpresstiefe Offset <b>25 mm</b>		

Nota: Per i modelli Fiat 131 e 124 Spyder la ruota deve essere utilizzata con pneumatici 185/60 HR 14.  
 Pour les modèles Fiat 131 et 124 Spyder la roue doit être utilisée avec le pneu 185/60 HR 14.  
 For the models Fiat 131 and 124 Spyder the wheel must be utilized with tyre 185/60 HR 14.  
 Für die Modellen Fiat 131 und 124 Spyder die Felge muss mit Reifen 185/60 HR 14 benutzt sein.



## CD 54

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size <b>5½Jx13CH</b>	Alfa Romeo Giulietta	
Peso Poids Gewicht Weight <b>kg 4,450</b>		
Interasse Entraxe Bolzendurchmesser Boltcircle <b>98 mm</b>		
Campanatura Carrossage Einpresstiefe Offset <b>43 mm</b>		





## CD 56

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size <b>5 1/2 Jx13CH</b>	Alfa Sud	CD 482
Peso Poids Gewicht Weight <b>Kg. 4,300</b>		
Interasse Entraxe Bolzendurch- messer Boltcircle <b>98 mm</b>		
Campanatura Carrossage Einpresstiefe Offset <b>40 mm</b>		



## CD 57

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size <b>4 1/2 Jx13</b>	Fiat 127 Fiat 128 berlina Fiat 128 rallye Fiat 128 coupé Fiat X1/9 Autobianchi A 112	CD 482
Peso Poids Gewicht Weight <b>Kg. 3,800</b>		
Interasse Entraxe Bolzendurch- messer Boltcircle <b>98 mm</b>		
Campanatura Carrossage Einpresstiefe Offset <b>37 mm</b>		



## CD 58

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size <b>5 Jx13H2</b>	Fiat 128 berlina Fiat 128 rallye Fiat 128 coupé Fiat X1/9	CD 482
Peso Poids Gewicht Weight <b>Kg. 4,200</b>		
Interasse Entraxe Bolzendurch- messer Boltcircle <b>98 mm</b>		
Campanatura Carrossage Einpresstiefe Offset <b>27 mm</b>		



## CD 62

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size <b>5Jx13</b>	Alfa Sud	CD 496
Peso Poids Gewicht Weight <b>kg 4,350</b>		
Interasse Entraxe Bolzendurchmesser Boltcircle <b>98 mm</b>		
Campanatura Carrossage Einpresstiefe Offset <b>46 mm</b>		



## CD 66RC

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size <b>7Jx13</b>	Fiat 124 rallye competizione	CD 481
Peso Poids Gewicht Weight <b>kg 4,950</b>		
Interasse Entraxe Bolzendurchmesser Boltcircle <b>98 mm</b>		
Campanatura Carrossage Einpresstiefe Offset <b>10 mm</b>		



## CD 70J

Caratteristiche tecniche	Applicazioni	Colonnina Obbligat.
Misure Dimensions Abmessung Size <b>5 1/2 Jx13H2</b>	Datsun Sunny Datsun Violet Mitsubishi Celeste Mitsubishi Colt Mitsubishi Lancer Mitsubishi Gallant Mitsubishi Sapporo Toyota Corolla Toyota Carina Toyota Celica Toyota Corona	
Peso Poids Gewicht Weight <b>kg 4,350</b>		
Interasse Entraxe Bolzendurchmesser Boltcircle <b>114,3 mm</b>		
Campanatura Carrossage Einpresstiefe Offset <b>18 mm</b>		

